INFORMATION DISCISSURE CITATION

Form PTO-1449 (Modified) (Use several sheets if necessary)

ATTY. DOCK NO. IRVN-007CIP2

November 13, 2000

Class

SERÍAL NO.

09/700,354

APPLICANT

Gatanaga et al.

Subclass

FILING DATE

GROUP

Unassigned

Filing Date

If Appropriate

Document Date

*Examiner Initial

U.S. PATENT DOCUMENTS

Name

	,		FORE	IGN PATENT DOCUMENTS		·		
		Document Number	Date	Country	Class	Subclass	Trans	slation
	AA	0 657 536 A1	06/14/1995	Europe	`		Yes	No
1/	AB	WO 98/20140 A	05/14/1998	PCT				
			-			<u> </u>		

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

Δ		
1	AC	Genbank Accession No. AJ003355, deposited October 13, 1997
N	AD	Genbank Accession No. AA779203, deposited February 6, 1998
1/	ΑE	Genbank Accession No. U52222, deposited April 26, 1996
2	AF	Genbank Accession No. T33896, deposited January 14, 1995
1	AG	Genbank Accession No. AI002979, deposited June 11, 1998
V	АН	Genbank Accession No. AA806165, deposited February 16, 1998
0	ΑI	Genbank Accession No. C06247, deposited August 25, 1996
0	ΑJ	Genbank Accession No. AA707194, deposited January 5, 1998
9	AK	Genbank Accession No. AA599596, deposited September 29, 1997
1	AL	Gonzalez et al. (1985) "Variation among human 28S ribosomal genes." Proceedings of the National Academy of Sciences of USA, Vol. 82:7666-7670
	АМ	Katsura et al. (1996) "Identification of the proteolytic enzyme which cleaves human p75 TNG receptor in vitro." Biochem. And Biophys. Research Communications, Vol. 222(278):298-302.
N	l	Minet et al. (1990) "Cloning and sequencing of a human cDNA coding for a multifunctional polypeptide of the purine pathway by complementation of the ade2-101 mutant in Saccharomyces cerevisiae." Curr. Genet., Vol. 18:287-291.

EXAMINER	Z	1	
----------	---	---	--

DATE CONSIDERED

INFORMATION DISCESSURE CITATIO

Form PTO-1449 (Modified) (Use several sheets if necessary) ATTY, DOC IRVN-007CIP2 SERIAL NO.

09/700,354

PAPPLICANT

Gatanaga et al.

FILING DATE

November 13, 2000

GROUP

Unassigned

Oshima et al. (1988) "The human cation-independent mannose 6-phosphate receptor. Cloning and sequence of the full-length cDNA and expression of functional receptor in cos cells." The Journal of Biological Chemistry, Vol. 5:2553-2562.

Porteu et al. (1991) "Human neutrophil elastase releases a ligand-binding fragment from the 75-kDa tumor necrosis factor (TNF) receptor." The Journal of Biological Chemistry, Vol. 266:18846-18853

F:\forms\word 2k forms\form PTO-1449.doc

EXAMINER

DATE CONSIDERED

8-5-04

INFORMATION DISCLOSURE CITATION				IRVN-007CIP2		ERIAL NO. 09/700,354	
(Ose sever	TO-1449 (Modified) ral sheets if necessary	<i>(</i>)	APPLICANT Gatanaga et al.				
APR 0 9 20M 3			FILING DATI	<u> </u>	GROUP		
P TRADEMIN	& TRADE NATIONAL PROPERTY OF THE PROPERTY OF T			r 13, 2000		Jnassigne	:d
TRADE	U.S. PATENT DOCUMENTS						
*Examiner Document N	Number Date	Name		Class	Subclass	Filleg	Date
Initial							griat (S
AA 4,761,	371 08/02/1988	Bell et	al.	-		N	P 1
MAB 6,083,	913 07/04/2000	Dower e	t al.		_	3	3 2
AC 5,395,	760 03/07/1995	Smith et	al.			00/2	2001
AC 5,395,760 03/07/1995 Smith et al.							
Document N	Number Date	Country		Class	Subclass	Trans	lation
AD 418 0	12/20/1995	Europ	е		_	Yes	No
AE WO 95/3	31544 11/23/1995	PCT					
AF WO 95/3	33051 12/07/1995	PCT					
AG WO 96/0	01/25/1996	PCT		-			
AH WO 99/58	3559A2 11/18/1999	PCT		-			
AI WO 99/58	3559A2 11/18/1999	PCT					
y	OTHER ART (Inc.	luding Author, Title, Dat	e, Pertinent Pag	es, Etc.)			
() AJ (2000)	"ENBREL(R) (etanerc	ept) U.S. and Eu	ropean Lon	g-Term Clii	nical Trial	Data Pre	 sented
at the Ar	nnual Meeting of the I	European League	Against Rh	neumatism.	" Compar	ny News O	n-Call
1 / 1/1 '	ww.prnewswire.com/)01250565 (23 Jun	•	::ACCT=10	JASTURT=	-/ www/stc	n y/ ∪o-23 _	
AK (2000) '	"Immunex Reports Se ww.immunex.com/in	econd Quarter 20					
AL Abraham	n et al., "p55 tumor n	ecrosis factor red	ceptor fusio	n protein i	n the treat		
	with severe sepsis are et al., "Increased seru					factor in	 cancer
patients"	(1991) Cancer Res.	51:5602-5607				. <u> </u>	
individua	et al., "Variation in se als." (1992) <i>Lympho</i>	kine Cytokine Res	. 11:15 <u>7-</u> 1	59	_		
AO Aldersor	n et al., "Regulation o	f human monocy	te cell-surfa	ice and sol			
granuloo 1257	cyte-macrophage colo	ony-stimulating fa	actor and IL 	.·33" (1992) J. Immun	oı., 149:1 ———	252- <i>1</i>
EVAMINED			CONSIDE	NED :			

IP EI	NFO	RMATION DISCLOSURE CITATION	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354	
/ /	· cont	Form PTO-1449 (Modified) Use several sheets if necessary)			
1 000	Mon	FFIC	APPLICANT Gatanaga et al.		
RER O S	ADEM!		FILING DATE November 13, 2000	GROUP Unassigned	
	AP	Arbor et al., "Effects of tumour necrosis factor rat" (1992) Mol. Cell. Biochem 112:53-59			
10	ΑQ	Argiles et al. (1988) "The metabolic environr	ment of cancer." Mol. Ce	ell. Biochem., Vol. 81:3-17	
7	AR	AR Argiles et al., "Journey from cachexia to obesity by TNF" (1997) FASEB.J., 11:743-751			
7	AS	Armitage (1994) Tumor necrosis factor recep (1994) Curr. Opin. Immunul. 6:407-413	tor superfamily member	rs and their ligands."	
1	ΑT	Arner (1996) "Obesity and Insulin Resistance 13:S85-S86	in Swedish Subjects" Di	iabetes Metabl., Vol.	
9	ΑU	Ashkenazi et al. (1991) "Protection against e receptor immunoadhesin." Proc. Natl. Acad. S			
V	ΑV	Banner et al. (1993) "Crystal structure of the		·	
Y		complex: Implications for TNF receptor actival Baran et al. (1988) "Characterization of the stor IL-2." <i>J. Immunol</i> , Vol. 141:539-546.			
y	AX Bauditz et al. (1997) "Treatment with tumour necrosis factor inhibitor oxpetifylline does not improve corticosteroid dependent chronic active Crohn's disesase." Gut, Vol. 40:470-474				
9	ΑY	Baum et al (1994) "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34." EMBO J., Vol. 13:3992-4001			
9	ΑZ	Beretz et al. (1990) "Modulation by cytokines implications for thrombosis." Biorheology, Vol		I cell interactions,	
Y	ВА				
Y		Beutler et al-, "Passive immunization against of from lethal effect of endotoxin" (1985) Science		s factor protects mice	
9	ВС	Bianchi et al., "Increased Brown adipose tissue (1989) Horm. Metab. Res., 21:640-41	e activity in children with	n malignant disease"	
9	BD	Birkedal-Hansen et al., "Matrix metalloprotein Med., Vol. 4:197-250	ases: A review." (1993)	Crit. Rev. Oral Biol.	
9	BE	Bogdan et al. (1991) "Macrophage deactivati 174:1549-1555.	ion by interleukin 10" <i>J.</i>	Exp. Med., Vol.	
9		Brockhaus et al. (1990) "Identification of 2 to human cell lines by monoclonal antibodies."			
	BG	Buck et al. (1996) "Tumor necrosis factor α i	inhibits collagen α1(1) g	ene expression and	
9	вн	wound healing in a murine model of cachexia." <i>Am. J. Pathol.</i> , Vol. 149:195-204 Calvano et al. (1996) "Monocyte tumor necrosis factor receptor levels as a predictor of risk in human sepsis." <i>Arch. Surg.</i> , Vol. 131:434-437.			
V	BI Carcoran et al. (1994) "Characterization of ligand binding by the human p55 pour-necrosis-factor receptor." Eur. J. Biochem., Vol. 223:831-840.				
				E School School	
EXAMINER	1	DATE	CONSIDERED	Co. La Va	
/	' <i>V</i>		8-1 4		
examiner: not in conform	Initia ance	al if reference considered, whether or not citation is in co and not considered. Include copy of this form with next o	onformance with MPEP 609; Ecommunication to applicant.	Draw line through citotion if	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation is not in conformance and not considered. Include copy of this form with next communication to applicant.					

PEINEC	ORMATION DISCLOSURE CITATION Sorm PTO-1449 (Modified)	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354	
0, 09.70	Form PTO-1449 (Modified) (Use several sheets if necessary)	APPLICANT Gatana	aga et al.	
KA CALO TOWN	XI	FILING DATE November 13, 2000	GROUP Unassigned	
BI	Chitambar (1991) "Shedding of transferring in vitro: Soluble transferring receptor is derive 78:2444-2450			
₩ BK	Colotta et al. (1993) "Interleukin-1 type II red IL-4." Science, Vol. 261:472-475	ceptor: A decoy target of	IL-1 that is regulated by	
M BL	necrosis factor" (1988) Biochem. J. 249:765-7	69		
A BM	Cosman, "A family of ligands for the TNF recept 12:440-455	• •		
/ BN	cancer cachexia model" (1993) J. Clin. Invest. 9	92:2783-2789		
₩ BO	Crowe et al., "A metalloprotease inhibitor block TNF processing in T-lymphocytes" (1995) <i>J. Ex</i>	p. Med., 181:1205-1210)	
BP	de Waal Malefyt et al., "Interleukin 10(1L-10) inhibits cytokine synthesis by human monocytes: An autoregulatory rule of IL-10 produced by monocytes" (1991) <i>J. Exp. Med.,</i> 174:1209-1220			
BQ	Dean et al., "Evidence for metalloproteinase and metalloproteinase inhibitor imbalance in human osteoarthritic cartilage" (1989) <i>J. Clin. Invest.</i> 84:678-85			
A BR	Dembic et al. "Two human TNF receptors have similar extracellular, but distinct intracellular, domain sequences" (1990) Cytokine, 2:231-237			
BS	Derkx et al., "High levels of interleukin-10 during the initial phase of fulminant meningococcal septic shock" (1995) <i>J. Infect. Dis.</i> 171:229-232			
BT	T Dessi et al. "Perturbations of triglycerides but not of cholesterol metabolism are prevented by anti-tumour necrosis factor treatment in rats bearing an ascites hepatoma (Yoshida AH-130)" (1995) Br. J. Cancer 72:11.38-1143			
BU	- 			
BV	P	necrosis factor in clinica	al laboratory diagnosis"	
BW	Driscoll, K., "Macrophage; inflammatory protei	ns" (1994) Exp. Lung Res	s. 20:474-490	
BX	BX Dubravec et al., "Circulating human peripheral blood granulocytes synthesis and secrete tumor necrosis factor α." (1990) <i>Proc. Natl. Acad. Sci. USA</i> 87:6768-6761			
BY	BY Durez et al., "In vivo induction of interleukin 10 by anti-CD3 monoclonal antibody or bacterial lipopolysaccharide: Differential modulation by cyclosporin A" (1993) <i>J. Exp. Med.</i> 177:551-555			
) BZ	Echtenacher et al. (1996) "Critical productive peritonitis." <i>Nature</i> , Vol. 381:75-77	e role of mast cells in a r	nodel of acute sentic	
			多公人	

IP EIN	FORMATION DISCLOSURE CITATION	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354	
	Form PTO-1449 (Modified) (Use several sheets if necessary)	APPLICANT		
108 0 9 201	" 일	Gatanaga et al.		
PRATE TRADEN	net S	FILING DATE November 13, 2000	GROUP Unassigned	
2	A Engelmann et al. (1989) "A tumor necrosis for from human urine protects cells from tumor necrosis for 264:11974-11980			
N C	B Engelmann et al. (1990) "Two tumor necrosi urine." <i>J. Biol. Chem.</i> , Vol. 265:1531-1536.	s factor-binding proteins	s purified from human	
V C	C Ertel et al. (1994) "Increased release of soluduring clinical sepsis." Arch. Surg., Vol. 129:1		r receptors into blood	
	D Evans et al. (1988) "Tumour necrosis factor growth on the disposal of a [14C] lipid load in Biochem. J., Vol. 256:1055-1058	virgin, lactating and litte	r-removed rats."	
2	CE Fargeas et al. (1993) "Central action of interleukin 1 on intestinal motility in rats: Mediation by two mechanisms." Gastroenterology, Vol. 104:377-383			
y c	CF Feingold et al. (1992) "Stimulation of lipolysis in cultured fat cells by tumor necrosis factor, interleukin-1, and the interferons is blocked by inhibition of prostaglandin synthesis." Endocrinology, Vol. 130:10-16			
VC	Fenner (1995) "TNF-inhibitoren: Eine neue therapeutische perspective bei chronischentzundlichen Erkrankungen in der Rheumatologie?" Z. Rheumatol., Vol. 54:158-164			
N C	Ferrante (1992) "Activation of neutrophils by interleukins-1 and –2 and tumor necrosis factors." <i>Immunol. Ser.</i> , Vol. 57:417-436			
V C	Fiers (1991) "Tumor necrosis factor: Characterization at the molecular, cellular and in vivo level." FEBS Letters, Vol. 285:199-212			
J C.	J Fiorentino et al. (1991) "IL-10 inhibits cytoki Immunol., Vol. 147:3815-3822	ne production by activat	ed macrophages." J.	
V C	K Fisher et al. (1996) "Treatment of septic sho fusion protein." N. Engl. J. Med., Vol. 334:169		sis factor receptor: Fc	
V C	Fried et al. (1989) "Cachetin/tumor necrosis lipoprotein lipase mRNA levels, synthesis, and			
VC	M Fukunaga et al. (1990) "Three different mRN stimulating factor receptor." <i>Proc. Natl. Acad.</i>			
V C	N Garcia-Martinez et al. (1993) "Tumour necro skeletal muscle proteins." FEBS Letters., Vol. 3		ubiquitinization of rat	
W C	O Gatanaga et al. (1990) "Identification of TNF ultrafiltrates of human cancer patients." Lymp	• • • • • • • • • • • • • • • • • • • •		
// CI	necrosis factor receptor) for tumor necrosis fa ultrafiltrates of human cancer patients." Proc.	ctor and lymphotoxin ob Natl. Acad. Sci. USA, Vo	otained from the serum I. 87:8781-8784	
	Q-Gatanaga et al. (1991) "The regulation of TN expression, and release by PMA- and LPS-stim Cell Immunol., Vol. 138:1-10			
<u> </u>			E & C.	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through chation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXAMINER

DE	JAE O	RMATION DISCLOSURE CITATION	ATTY. DOCKET NO. IRVN-007CIP2	SERIAL NO. 09/700,354	
6	g t) (18	Form PTO-1449 (Modified) See several sheets if necessary)	APPLICANT		
00	•		Gatana	aga et al.	
PATENT 8	TRADE		FILING DATE November 13, 2000	GROUP Unassigned	
1	CR	Gatanaga et al. (1993) "Release of soluble T cell line (PA-1) by stimulation with cytokines in 12:249-253.			
g		Gearing et al. (1994) "Processing of tumour necrosis factor-I precursor by metalloproteinases." <i>Nature,</i> Vol. 370:555-557			
8		Gearing et al. (1995) "Matrix metalloproteina Biol., Vol. 57:774-777	ases and processing of p	pro-TNF-I." J. Leukoc.	
9	CU	Gehr et al. (1992) "Both tumor necrosis factor human mononuclear cell actiation." J. Immuno		te proliferative signals in	
W		Gerard et al. (1993) "Interleukin 10 reduces lethality in experimental endotoxemia." <i>J. Exp</i>			
8	CW	Golstein et al. (1991) "Cell death mechanism 121:29-65	ns and the immune syste	em." <i>Immunol. Rev.,</i> Vol.	
8		Goodman (1991) "Tumor necrosis factor indu Am. J. Physiol., Vol. 260:E727-730	uces skeletal muscle pro	tein breakdown in rats."	
8		Goodwin et al. (1990) "Cloning of the human and murine interleukin-7 receptors: Demonstration of a soluble form and homology to a new receptor superfamily." Cell, Vol. 60:941-951			
V	CZ	Gorton et al., "Mast cells as a source of prefor TNF-I /cachetin" (1990) Nature 346:274-276	med and immunological	ly inducible	
Y		Grau et al., "Tumor necrosis factor (cachectin) as an essential, mediator in murine cerebral malaria" (1987) Science 237:1210-1212			
1	DB	Grell et al., "Segregation of APO-1 /Fas antige apoptosis" (1994) <i>Euro. J. Immunol.</i> 24:2563-2		actor receptor-mediated	
8		Grosen et al., "Measurement of the soluble me lymphotoxin in the sera of patients with gynec 77			
1		Grunfeld et al., "Endotoxin and cytokines inducing hamsters" (1996) <i>J. Clin. Invest.</i> 97:2152-21		he ob gene product,	
1		Guilberg ct al., "Involvement of an Asn/Gal cle of a human tumor necrosis factor (TNF) recep cleavage site in the p55 TNF receptor chain"	tor. Site-directed mutag	enesis of a putative	
	DF	Hahne et al., "A novel soluble form of mouse VCAM-1 is generated from a glycolipid-anchored splicing variant" (1994) Eur. J. Immunol. 24:421-428			
	DG	Halwachs et al., "Serum levels of the soluble rewith renal disease" (1994) Clin. Investig. 72:47		sis factor in patients	
V	DH	Hauner et at, "Effects of tumour necrosis facto metabolism of newly-differentiated human fat 771			
1	DI	Heller et al., "Complementary DNA cloning of a demonstration of a shed form of the receptor"			
EXAMINER		DATE	CONSIDERED	RECEIVED	
EXAMINER: not in conform	Initia ance	al if reference considered, whether or not citation is in co and not considered. Include copy of this form with next			
TECH CENTER 1600/2900					

Page 6 of 12

P ENT	ORMATION DISCLOSURE CITATION	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354		
0 9 200	SERMATION DISCLOSURE CITATION Form PTO-1449 (Modified) (Use several sheets if necessary)	APPLICANT Gatanaga et al.			
LER "	<u>4)</u>	Gatalia	iga et ai.		
FENT & TRADE	net de la company de la compan	FILING DATE November 13, 2000	GROUP Unassigned		
P DJ	Henney et al., "Localization of stromelysin gen situ hybridization" (1991) <i>Proc. Natl. Acad .Sci.</i>		clerotic plaques by in		
N DK	Hillier et al. (1996) "Generation and analysis Genome Research, Vol. 6(9):807-828.	of 280,000 human exp	ressed sequence tags."		
DL	receptor chain (p60) and its soluble derivative (1990) <i>DNA Cell Biol</i> . 9:705-715	, tumor necrosis factor-l	oinding protein"		
DN	M Hintzen et al., "Characterization of the human gene family" (1994) <i>J. Immunol.</i> 152:1762-177		ember of the TNF		
DN	Hjemdahl et al., "9-adrenoceptors in human al (1990) Br. J. Clin. Pharmacol. 30:673-682	veolar macrophages isol	ated by elutriation "		
2 DC		Hofmann et al., "Altered gene expression for tumor necrosis factor-1 and it receptors during drug and dietary modulation of insulin resistance" (1994) Endocrinology 134:264-270			
N DF	Holtmann et al., (1987) <i>J. Immunol.</i> 139:151-1	Holtmann et al., (1987) <i>J. Immunol.</i> 139:151-153			
DC	Hotamisligil et al., "Increased adipose tissue expression of tumor necrosis in human obesity and insulin resistance" (1995) <i>J. Clin. Invest.</i> 95:2409-2415				
DF	Howard et al., "Interleukin 10 protects mice from lethal endotoxemia" (1993) <i>J. Exp. Med.</i> 177:1205-1208				
g DS	Hu et al., "The effect of norepinephrine on endotoxin-mediated macrophage activation" (1991) <i>J. Neuroimmunol</i> 31:35-42				
J-DT	Huizinga et al., "The PI-linked receptor FcRIII i Nature 333:667-669	s released on stimulatio	n of neutrophils" (1988)		
J DI		Jin et al., "Protection against rat endotoxic shock by p55 tumor necrosis factor (TNF) receptor immunoadhesin: Comparison with anti-TNF monoclonal antibody" (1994) <i>J. Infect. Dis.</i>			
g DV	/ Joyce et al., "Two inhibitors of pro-inflammato interleukin-4, have contrasting effects on relea receptor by cultured monocytcs" (1994) Eur.	se of soluble p75 tumor	necrosis factor		
Ø DV	V Kalinkovich et.al. "Increased soluble tumor ned	Kalinkovich et.al. "Increased soluble tumor necrosis factor receptor expression and release by human immunodeficiency virus type 1 infection" (1995) <i>J. Interferon Cyto. Res.</i> , 15;749-757			
DX	Katsura et al. (1996) "Identification and char enzyme (TRRE) from PMA-stimulated human r Meeting, Vol. 37:492	monocytic THP-1 cells."	Proc. Amer. Cancer Res.		
DY	Kawakami et al. (1987) "Human recombinant stimulates lipolysis in 3T3-LT cells." J. Bioche		otein lipase activity and		
g DZ	Khire et al. (1990) "EGF stimulates the proce receptor." Febs. Lett., Vol. 272:69-72	essing and export of a se	creted from of EGF		
V EA	Khokha et al. (1989) "Antisense RNA-induced oncogenicity on Swiss 3T3 cells." Science, Vol		MP leves confers		
			Sc Ell.		

!:	NFO	RMATION DISCLOSURE CITATION	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354	
OIP	E,	Form PTO-1449 (Modified) See several sheets if necessary)	•	03//00,004	
/	, ,	7	APPLICANT Gatanaga et al.		
APR 0	ð 500.) 10 E			
P. M.			FILING DATE November 13, 2000	GROUP Unassigned	
TRA	550	Klinkert et al. (1997) "TNR-α receptor fusion	protein prevents experin	nental auto-immune	
<i>Y</i>		encephalomyelitis and demyelination in Lewis 168	rats: an overview." J. N	euroimmun., Vol. 72:163-	
	EC	Kohno et al. (1990) "A second tumor necrosi	s factor receptor gene p	roduct can shed a	
y		naturally occurring tumor necrosis factor inhib 8335			
^		Kriegler et al. (1988) "A novel form of TNF/c			
Y		transmembrane protein: Ramifications for the 53	complex physiology of	INF. Cell, Vol. 55.45	
2	EE	Lambert et al. (1994) "Natural serum TNF ar renal transplantation." Nephrol. Dia. Transplan		enal failure and following	
$-\frac{1}{2}$		Landmann et al. (1992) "Interferon-γ and inte		e soluble CD14 release in	
8		human monocytes and macrophages." J. Leuk	_		
0		Latza et al. (1995) "CD30 antigen in embryo the soluble molecule." Am. J. Pathol., Vol. 146		ryogenesis and release of	
1/	EΗ	Lawson et al. (1982) "Metabolic approaches to cancer cachexis." <i>Annu. Rev. Nutr.</i> , Vol. 2:277-301			
1/		Leeuwenberg et al. (1994) "Slow release of soluble TNF receptors by monocytes in vitro." <i>J. Immunol.</i> , Vol. 152:4036-4043			
- g	EJ	Leffers (1993) "The sequence of 28S ribosomal RNA varies within and between human cell lines." Nucleic Acid Research, Vol. 21(6):1449-1455			
8	EK	Lesslauer et al. (1991) "Recombinant soluble mice from lipopolysaccharide-induced lethality	tumor necrosis factor r		
The state of the s		Lesslauer, et al., "Recombinant soluble tumor form lipopolysaccharide-induced lethality," <i>Eur</i>			
1	EM	Llovera et al. (1993) "Effects of tumor necros Wistar rats." J. Natl. Cancer Inst., Vol. 85:1334	sis factor-α on muscle-pi	rotein turnover in female	
1		Loenen et al. (1992) "The CD27 membrane receptor, a lymphocyte-specific member of the nerve growth factor receptor family, gives rise to a soluble form by protein processing that odes not involve receptor endocytosis." <i>Eur. J. Immunol.</i> , Vol. 22:447-455			
V	ΕO	Loetscher et al. (1990) "Molecular Cloning ca factor receptor." <i>Cell</i> , Vol. 61:351-359			
1		Loetscher et al. (1990) "Purification and part tumor necrosis factor receptors from HL60 ce			
y	EQ	Lopez-Casillas et al. (1991) "Structure and e betaglycan, a component of the TGF-β recepto	xpression of the membrar system." <i>Cell,</i> Vol. 67:	ane proteoglycan 785-795	
A		Lovejoy et al. (1994) "Structure of the cataly with an inhibitor." Science, Vol. 263:375-377	tic domain of fibroblast	collagenase complexed	
Vy		Lowry et al. (1992) "Metal ion stabilization of fragment of human fibroblast collagenase." P		mbinant 1940a catalytic	
· · · · · · · · · · · · · · · · · · ·	·			1/2 (D) ()/	

P EINFORMATION DISCLOSURE CITATION			ATTY. DOCKET NO. IRVN-007CIP2	SERIAL NO. 09/700,354	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DON 18	Form PTO-1449 (Modified) Use several sheets if necessary)	APPLICANT Gatanaga et al.		
/ NBB		<i>5)</i>	Gatalla	iga et ai.	
PROVE TRA	CNE		FILING DATE	GROUP	
& TRA	ET	Madej et al. (1995) "Threading analysis sugg	November 13, 2000	Unassigned	
<i>V</i>		helical cytokine." FEBS Lett., Vol. 373:13-18			
$ \mathcal{V} $		Marchant et al. (1994) "Interleukin-10 contro	-		
<u> </u>		production during experimental endotoxemia.			
	EV	Marchant et al. (1994) "Interleukin-10 produ 708	ction during septicaemi	a." Lancet, Vol. 343:707-	
9		Massague (1996) "TGFβ signaling: Receptors 85:947-950	, transducers, and mad	proteins." Cell, Vol.	
8		Massague et al. (1993) "Membrane anchored 62:515-541	d growth factors." Annu.	Rev. Biochem., Vol.	
9		Matrisian (1990) "Metalloproteinases and the Genet., Vol. 6:121-125	eir inhibitors in matrix re	modeling." Trends	
9	ΕZ	Meakin et al. (1992) "The nerve growth factor family of receptors." <i>Trends Neurosci.</i> , Vol. 15:323-331			
V		Michie et al. (1988) "Detection of circulating tumor necrosis factor after endotoxin administration." New Engl. J. Med., Vol. 318:1481-1486			
9		Mignatti et al. (1986) "Tumor invasion through the human amniotic membrane: Requirement for a proteinase cascade." <i>Cell</i> , Vol. 47:487-498			
7		Miles et al. (1992) "Induction of soluble tumour necrosis factor receptors during treatment with interleukin-2." <i>Br. J. Cancer</i> , Vol. 66:1195-1199			
1		Mohler et al. (1993) "Soluble tumor necrosis agents in lethal endotoxemia and function simantagonists." <i>J. Immunol.</i> , Vol. 151:1548-156	ultaneously as both TNF		
Ø	FE	Mohler et al. (1994) "Protection against a let necrosis factor processing." <i>Nature</i> , Vol. 370:	hal dose of endotoxin by	y an inhibitor of tumour	
8		Mohler, et al., "Soluble tumor necrosis factor (in lethal endotoxemia and function simultaned <i>J. of Immunol.</i> (Aug. 1, 1993) Vol. 151(3):1548	ously as both TNF carries		
0		Moller et al. (1994) "Expression of APO-1(CD superfamily, in normal and neoplastic colon e	95), a member of the N		
V	fΗ	Moore (1993) "Interleukin-10" Annu. Rev. Imi	munol., Vol. 11:165-190		
1		Moreland et al. (1997) "Treatment of rheumanecrosis factor receptor (p75)-Fc fusion protein	n." N. Eng. J. Med., Vol.	337:141-147	
		Morgan et al. (1987) "Insulin-like growth factor Nature, Vol. 329(6137):301-307			
W		Mosley et al. (1989) "The murine interleukin- characterization of secreted and membrane be			
1		Mullberg et al. (1995) "A metalloprotease in the p60 TNF receptor." J. Immunol., Vol. 155:		of the IL-6 receptor and	
EXAMINER		DATE	CONSIDERED	C //	

Page 9 of 12

OVE Form PTO-1449 (Modified)			ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354	
/ 0	·	Form PTO-1449 (Modified) See several sheets if necessary)			
			APPLICANT Gatanaga et al.		
(APR 0 9	You	ਲ)	Gatana	iga et ai.	
		<i>፮</i> /	FILING DATE	GROUP	
78 TRADE	PARK	/	November 13, 2000	Unassigned	
	FM	Neurath et al. (1997) "Predominant pathoge colitis in mice." Eur. J. Immuno., Vol. 27:1743 Nicholls (1983) "The thermogenic mechanism	nic role of tumor necros -1750	is factor in experimental	
Y		3:431-441	<u> </u>		
A	FO	Nophar et al. (1990) "Soluble forms of tumo			
<i>Y</i> /		for the type 1 TNF-R, cloned using amino acid	sequence data of its sol	luble form, encodes both	
	FP	the cell surface and a soluble form of the rece Novick et al. (1989) "Soluble cytokine recept			
<i>y</i>		Med., Vol. 170:1409-1414	·		
8	FQ	Ogiwara et al. (1994) "Diminished visceral ad Oncol., Vol. 57:129-133	dipose tissue in cancer o	cachexia." J. Surg.	
	FR	Old (1987) "Another chapter in the long histo	ry of endotoxin." Nature	e, Vol. 330:602-603	
8	FS	Oliff et al. (1987) "Tumors secreting human TNF/cachectin induce cachexia in mice." <i>Cell</i> , Vol. 50:555-563			
y		Olsson et al. (1992) "Isolation and characterization of a tumor necrosis factor binding protein from urine." Eur. J. Haematol., Vol. 42:270-275			
Y	FU	Olsson et al. (1992) "The receptors for regulatory molecules of hematopoiesis." <i>Eur. J. Haematol.</i> , Vol. 48:1-9			
8	FV	Olsson et al. (1993) "Tumour necrosis factor (TNF) binding proteins (soluble TNF receptor forms) with possible roles in inflammation and malignancy." Eur. Cytokine Netw., Vol. 4:169-180			
Á	FW	Oudart et al. (1995) "Stimulation of brown ac Can. J. Physiol. Pharmacol., Vol. 73:1625-1631	dipose tissue activity in t	tumor-bearing rats."	
V	FX	Pandiella et al. (1991) "Cleavage of the memis a regulated process." Proc. Natl. Acad. Sci. (·	~ ~	
		Peetre et al. (1988) "A tumor necrosis factor fluids." Eur. J. Haematol., Vol. 41:414-419	binding protein is prese	ent in human biological	
	FZ	Phillips et al. (1996) "Leptin receptor misser Genet., Vol. 13:18-19	nse mutation in the fatty	Zucker rat" Nature	
7	GA	Plata-Salaman et al. (1994) "Chemokines/int J. Physiol., Vol. 266:R1711-R1715	tercrines and central reg	ulation of feeding." Am.	
y		Porat et al. (1995) "Glycosylated recombinar reduces mortality, shock, and production of tu sepsis." <i>Crit. Care Med.</i> , Vol. 23:1080-1089	mor necrosis factor in r	abbit Escherichia coli	
0	GC	Porteu (1994) "Tumor necrosis factor induces human neutrophils." J. Biol. Chem., Vol. 269:2		its p75 receptor from	
W	GD	Porteu et al. (1990) "Shedding of tumor necr neutrophils." <i>J. Exp. Med.,</i> Vol. 172:599-607	osis factor receptors by	activated human	
				"Co. " / //	

P EINFORMATION DISCLOSURE CITATION			ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354		
Form PTO-1449 (Modified) Form PTO-1449 in necessary)			APPLICANT Gatanaga et al.			
E APR	. (4)		FILING DATE	GROUP		
PATENT & TRAI	EMIL		November 13, 2000	Unassigned		
9	GE	Price et al. (1986) "Regulation of lipoprotein lipase synthesis by recombinant tumor necrosis factor – the primary regulatory role of the hormone in 3T3-LT adipocytes." <i>Arch. Biochem. Biophys.</i> , Vol. 251:783-746				
7		Raines et al. (1991) "Identification and molecular cloning of a soluble human granulocyte-macrophage colony-stimulating factor receptor." <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 88:8203-8207				
Y		Renauld et al. (1992) "Expression cloning of the murine and human interleukin 9 receptor cDNAs" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 89:5690-5694				
1		Rose-John et al. (1994) "Soluble receptors for cytokines and growth factors: generation and biological function." <i>Biochem. J.</i> , Vol. 300:281-290				
Y		Rothwell (1993) "Cytokines and thermogenesis." Int. J. Obesity, Vol. 17:S98-101				
8		Saghizadeh et al. (1996) "The expression of TNF-α by human muscle: Relationship to insulin resistance." <i>J. Clin. Invest.</i> , Vol. 97:1111-1116				
y		Satal et al. (1996) "Hemostatic parameters in sepsis patients treated with anti-TNFα-monoclonal antibodes." <i>Shock</i> , Vol. 6:233-237				
m		Schall et al. (1990) "Molecular cloning and expression of receptor for human tumor necrosis factor." Cell, Vol. 61:361-370				
8		Schwartz et al. (1995) "Hypothalamic response to starvation: implications for the study of wasting disorders." <i>Am. J. Physiol.</i> , Vol. 269:R949-957				
0	GN	Scuderi et al. (1986) "Raised serum levels of tumour necrosis factor in parasitic infections." Lancet, December 13:1364-1365				
9	1	Seckinger et al. (1988) "A human inhibitor of tumor necrosis factor α." <i>J. Exp. Med.</i> , Vol. 167:1511-1516				
0		Seckinger et al. (1989) "Purification and biologic characterization of a specific tumor necrosis factor α inhibitor." <i>J. Biol. Chem.</i> , Vol. 264:11966-11973				
9		Seitz et al. (1997) "In vitro modulations of cytokine, cytokine inhibitor, and prostaglandin E release from blood mononuclear cells and synovial fibroblasts by antirheumatic drugs." <i>J. Rheumatology,</i> Vol. 24:1471-1476				
8		Semb et al. (1987) "Multiple effects of tumor necrosis factor on lipoprotein lipase in vivo." J. Biol. Chem., Vol. 262:3890-3894				
V		Senior et al. (1989) "Elastin degradation by human alveolar macrophages." Am. Rev. Respir. Dis., Vol. 139:1251-1256				
9		Seth et al. (1991) "Circulating ICAM-1 isoforms: diagnostic prospects for inflammatory and immune disorders." Lancet, Vol. 338:83-84				
		Severn, et al. "Regulation of tumor necrosis factor production by adrenaline and β-adrenergic agonists" (1992) <i>J. Immunol</i> , 148:3441-3445				
		Shalaby et al., "Binding and regulation of cellular functions by monoclonal; antibodics against human tumor necrosis factor receptors" (1990) <i>J. Exp. Med</i> , 1721517-1520				
				15 CO KI		

INFORMATION DISCLOSURE CITATION			ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354		
Form PTO-1449 (Modified) (C)se several sheets if necessary)				03.700,001		
		Arrical				
APR 0 9	a.	5/	FILING DATE November 13, 2000	GROUP Unassigned		
PAD		Shohami et al., "Cytokine production in the brain following; closed head injury: dexanabinol (HU211) is a novel TNF-α inhibitor and an effective neuroprotectant" (1997) <i>J. Neuroimmun</i> . 72:169-177				
4		Simon et al.; "Divergent T-cell cytokine patterns in inflammatory arthritis" (1994) <i>Proc. Natl.</i> Acad. Sci. USA 91:862				
9		Smith et al., "A receptor for tumor necrosis factor defines an unusual family of cellular and viral proteins" (1990) <i>Science</i> 248:1019-1023				
8	GZ	Smith et al., "CD30 antigen, a marker for Hodgkin's lymphoma, is a receptor whose ligand defines an emerging family of cytokines with Homology to TNF" (1993) Cell 73:1349-1360				
8	НА	Speiser et al., "TNF receptor p55 controls early acute graft-versus-host disease" (1997) <i>J. Immun.</i> 158:5185-5190				
		Spengler et a1., "Endogenous norepinephrine regulates tumor necrosis factor-α production from macrophages in vitro" (1994) <i>J. Immunol.</i> 152:3024-3031				
	НС	Spiegelmam et al., "Through thick and thin: Wasting, obesity, and TNF α " (1993) Cell ,73:625-627				
V.	HD	Stack et al., "Randomised controlled trial of CDP571 antibody to tumour necrosis factor- α in Crohn's disease" (1997) Lancet 349:521-524				
0	HE	Stein et al., "Proteolytic processing of a plasma membrane-bound precursor to human macrophage colony -stimulating factor (CSH-1) is accelerated by phorbol ester" (1991) Oncogene 6:601-605				
V	HF	Takaki et al, "Molecular cloning and expression of the murine interleukin-5 receptor" (1990) <i>EMBO J</i> . 9:4367-4374				
V		Talmadge et al., "Molecular pharmacology of the beta-adrenergic receptor oil THP-1 cells" (1993) Int. J. Immunopharmacol. 15:219-228				
2	НН	Tartaglia et al., "The two different receptors for tumor necrosis factor mediate distinct cellular responses" (1991) <i>Proc. Natl. Acad. Sci. USA</i> 88:9292-9296				
J	HI	Tartaglia et al., "Two TNF receptors" (1992) Immunol. Today 13:151-153				
	HJ	Tiesman et al., "Identification of a soluble receptor for platelet-derived growth factor in cell-conditioned medium and human plasma", (1993) <i>J. Biol. Chem.</i> , 268:9621-9628				
8	HK	Tracey et al. "Cachectin/tumor necrosis factor induces lethal shock acid stress hormone responses in the dog" (1987) Surg. Gynecol. Obstet. 164:415-422				
P		Tracey et al., "Anti-cachectin/TNF monoclonal antibodies prevent septic shock during lethal bacteraemia" (1987) <i>Nature</i> 330:662-664				
<i>(/</i>		Trehu, et al., "Phase I trail of interleukin 2 in combination with the soluble tumor necrosis factor receptor p75 IgG chimera," (Aug 1996) Vol. 2:1341-1351				
		van der Poll et al., "Tumor necrosis factor in sepsis: Mediator of multiple organ failure or essential part of host defense?" (1995) Shock- 3:1-12				
70		van der Poll, ct al., "Endogenous IL-10 protect (1995) <i>J. Immunol.</i> 155:5397-5401	s mice from death durin	septic perionitis"		
=			CONCIDENTE	C/ 70 M		

EXAMINER

DATE CONSIDERED

O T P EINFORMATION DISCLOSURE CITATION Form PTO-1449 (Modified)	ATTY. DOCKET NO. IRVN-007CIP2	serial no. 09/700,354			
The several sheets if necessary)	APPLICANT Gatanaga et al.				
TRADEMARK ST	FILING DATE November 13, 2000	GROUP Unassigned			
receptors, interleukin 1-beta and its receptor	van Deuren; "Kinetics of tumour necrosis factor-alpha, soluble tumour necrosis factor receptors, interleukin 1-beta and its receptor antagonist during serious infections" (1994) Eur. J. Clin. Microbiol. Infect. Dis. 13 (Suppl. 1):S12-S16				
HQ van Deventer et al "Monoclonal antibody ther (1997) Pharm. World.Sci. 19:55-59	van Deventer et al "Monoclonal antibody therapy of inflammatory bowel disease" (1997) <i>Pharm. World.Sci.</i> 19:55-59				
	Van Hogezand et al., "New therapies for inflammatory bowel disease: an update on chimeric anti-TNFα antibodies and IL-10 therapy" (1997) Scand. J. Gastro. 223:105-107				
clinical inflammation and can protect against	Van. Zee et al., "Tumor necrosis factor soluble receptors circulate during experimental and clinical inflammation and can protect against excessive: tumor necrosis factor a in vitro and in vivo"(1992) <i>Proc. Natl. Acad Sci. USA</i> 89:4845-4849				
	Waage et aL, "Detection of tumour necrosis factor-like cytotoxicity in serum from patients with septicaemia but not from untreated cancer patients" (1986) Scand. J. Immunol. 24:739-743				
HU Woesser, Jr. "Matrix metalloproteinases and the remodeling" (1991) FASEB J. 5:2145-2154	Woesser, Jr. "Matrix metalloproteinases and their inhibitors in connective tissue remodeling" (1991) <i>FASEB J</i> . 5:2145-2154				
	Yamamoto.et al., "FR167653, a dual inhibitor of interleukin-1 and tumor neurosis factor-α, ameliorates endotoxin-induced shock" (1997) <i>Eur. J. Pharmacol</i> 327:169-175				
	Yui et al., "Cytotoxicity of tumour necrosis factor-alpha and gamma-interferon against primary human placental trophoblasts" (1994) <i>Placenta</i> 15:819-835				
	Zamir et al., "Evidence that tumor necrosis factor participates in the regulation of muscle proteolysis during sepsis" (1992) <i>Arch. Surg.</i> 127:170-174				
(1994) Nature 372:425-432	Zhang et al., "Positional cloning of the mouse obese gene and its human. homologue" (1994) Nature 372:425-432				
	Zupan et al., "Identification, purification, arid characterization of truncated forms of the human nerve growth, factor receptor" (1989) <i>J. Biol. Chem.</i> 264:11714-11720				

EXAMINER

DATE CONSIDERED